| | Application No. | Applicant(s) |
|---|--|----------------|
| AL 41 E A II L 114 - | 10/666,410 | WEBSTER ET AL. |
| Notice of Allowability | Examiner | Art Unit |
| | Bryan Bui | 2863 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to <u>9/19/2003</u> . | | |
| 2. The allowed claim(s) is/are <u>1-32</u> . | | |
| 3. A The drawings filed on 19 September 2003 are accepted by the Examiner. | | |
| 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/G Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material | 6. ☐ Interview Summary Paper No./Mail Da 08), 7. ☐ Examiner's Amendi | te |

Application/Control Number: 10/666,410

Art Unit: 2863

-,

DETAILED ACTION

Allowable Subject Matter

1. The following is an examiner's statement of reasons for allowance:

Claims 1-32 are allowable over the prior art of record because none of the prior art whether taken singularly or in combination to teach the claimed combination as recited. Particularly, required in combination of system and method claimed: an imbalance estimator that determines at least one imbalance estimated based on selected digital samples and an IQ corrector that corrects said I and Q values using said at least one imbalance estimate (claim 1); an imbalance estimator that uses selected portions of said characteristic signal to determine the at least one imbalance metric and an I/Q corrector that corrects said I and Q signals using at least one balance metric (claim 9); estimating at least one imbalance metric using selected digital signals and calibrating the I and Q signals using the at least one imbalance metric (claim 23).

The closet prior art of record (reference 5721754) discloses base band signal (figure 4) includes in-phase (I) and quadrature (Q) components, that were FSK modulated with vary frequency signals; and having signal detector (figure 2, 209) coupled to sampler (202) to detect digital sampled data, and selector (211) for selecting digital sample corresponding to predetermined range of I and Q (at sampling rate 20,000 times per second with frequency represent at +/- 2400Hz and +/- 800Hz). The prior art simply indicate the estimator (217) in cooperation to provide the quality signal (column 3-4). However, the prior art do not discloses the claimed combination as recited in the current application to correct I and Q values using at least one imbalance

Application/Control Number: 10/666,410 Page 3

Art Unit: 2863

estimate from imbalance estimator. Other prior arts discloses generally frequency and phase estimation for MPSK signals (refs 6421,339 and 6,778,613) in different technique, and do not discloses the claimed combination as mentioned above.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bryan Bui whose telephone number is 571-272-2271.

The examiner can normally be reached on M-Th from 7am-4pm, and Alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John E Barlow can be reached on 571-272-2269. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/666,410 Page 4

Art Unit: 2863

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

BB

1/25/2005

BRYAN BUI PRIMARY EXAMINER

Bur